

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

STAFF illness scenarios	Can I work on-site?	Work restrictions + instructions	Actions to take at home	When to return to work
<p>1. Staff member has a fever (temp \geq 99.5°F) in the past 24 hrs</p>	<p>NO Immediately alert supervisor + HR</p>	<p>Do not report to work while having sx</p> <p>May work from home if well enough + work is available</p>	<p>Consult w/your medical provider as needed or if sx worsen</p> <p>Discuss need for COVID testing w/ your medical provider. Notify them that you are a health care worker/essential personnel</p>	<p>Staff who have sx consistent w/COVID-19 must be tested before returning to work.</p> <p>If test is positive, see #4</p> <p>If test is negative, staff may return to work when both of the following have occurred:</p> <ul style="list-style-type: none"> • At least 1 day (24 hrs) have passed since last fever, w/out the use of fever-reducing medications • improvement of respiratory sx
<p>2. Staff member has any one of the following sx in the past 24 hrs:</p> <ul style="list-style-type: none"> • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headaches • Loss of sense of taste or smell 	<p>NO Immediately alert supervisor + HR</p>	<p>Do not report to work while having sx</p> <p>May work from home if well enough + work is available</p>	<p>Consult w/your medical provider as needed or if sx worsen</p> <p>Discuss need for COVID testing w/ your medical provider. Notify them that you are a health care worker/essential personnel</p>	<p>Staff who have sx consistent w/COVID-19 must be tested before returning to work.</p> <p>If test is positive, see #4</p> <p>If test is negative, staff may return to work when both of the following have occurred:</p> <ul style="list-style-type: none"> • At least 1 day (24 hrs) have passed since last fever, w/out the use of fever-reducing medications • improvement of respiratory sx
<p>3. Staff member has any one of the following sx in the past 24 hrs:</p> <ul style="list-style-type: none"> • Runny nose • Nasal congestion • Sneezing 	<p>DEPENDS YES - If this is a usual symptom for you NO - If this is <i>new</i> (follow #2) Immediately alert supervisor + HR</p>	<p>Work from home preferred if able to complete usual work at home</p>	<p>Consult w/your medical provider as needed or if sx worsen.</p> <p>Notify them that you are a health care worker/essential personnel</p>	<p>May return to work when sx improve</p>
<p>4. Staff member tests positive for COVID-19</p>	<p>NO</p>	<p>Do not report to work</p>	<p>If sx develop, wear a mask for 14 days after the onset of the sx or</p>	<p>Staff diagnosed w/COVID-19 may return to work when all three of the following have occurred:</p>

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

	Immediately alert supervisor + HR	May work from home if well enough + work is available	complete sx resolution, whichever is longer Self-isolate as much as possible Consult w/your medical provider as needed or if sx worsen	<ul style="list-style-type: none"> At least 1 days (24 hrs) have passed since resolution of fever w/out the use of fever-reducing medications; + sx have completely improved; + at least 10 days* have passed since sx first appeared. <p>If COVID-19 positive and no symptoms develop, may return to work 10 days after positive test</p> <p>*if staff is immunocompromised or has severe/critical COVID-19 illness, must wait at least 10 days and up to 20 days</p>
Exposure at HOME	Can I work on-site?	Work restrictions + instructions	Actions to take at home	When to return to work
5. A household member w/COVID-like sx is awaiting testing or test results	NO Immediately alert supervisor + HR	Do not report to work while awaiting a household member's COVID results May work from home if well enough + work available	Self-monitor for sx for 14 days <ul style="list-style-type: none"> Check temperature twice daily Fever (temp \geq 99.5°F) New cough (e.g., started in the last 14 days) Sore throat Chills/ shaking chills Shortness of breath Unexplained muscle aches Unexplained headache Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	May return to work when COVID test result is negative See (#7) if household member tests <u>positive</u> for COVID
6. A household member is sick, but not tested for COVID-19	NO Immediately alert supervisor + HR	Do not report to work until the household member has discussed their sx w/a medical provider	Household member should discuss whether their sx are consistent w/ COVID + test if appropriate If <u>not</u> consistent w/ COVID, staff member should discuss w/ supervisor + HR	May return to work if household member's medical provider indicates that sx are <u>not</u> consistent w/ COVID If sx <u>are</u> consistent w/COVID, see (7)

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

			<p>If <u>consistent</u> w/COVID, see guidance for when a “significant contact” tests positive for COVID (7)</p> <p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp\geq 99.5°F) • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headache • Loss of sense of taste or smell 	
<p>7. Significant contact w/ a person who tests positive for COVID, for ex:</p> <ul style="list-style-type: none"> - Household member - Physical contact w/ non-household member - >15 minutes social contact w/non-household member <p>(Include contact up to 2 days before start of symptoms)</p>	<p>NO</p> <p>Immediately alert supervisor + HR</p>	<p>Do not report to work until after appropriate quarantine pd</p> <p>May work from home if well enough + work is available</p>	<p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp\geq 99.5°F) • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headaches • Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	<p>Quarantine at home until 14 days after person’s sx resolve or until 14 days after your last exposure to the person</p> <p>See “Staff Illness” section if symptomatic</p>
Exposure at WORK	Can I work on-site?	Work restrictions + instructions	Actions to take at home	When to return to work
<p>8. Low risk* or Medium** risk exposure to</p>	<p>YES</p>	<p>If you do <u>not</u> have:</p> <ul style="list-style-type: none"> • Fever (temp\geq 99.5°F) in the past 24 hrs, w/out 	<p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp\geq 99.5°F) 	<p>May continue to work w/active self-monitoring</p> <ul style="list-style-type: none"> • Check temp twice daily • Monitor for new sx

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

staff/client w/COVID-like sx	Immediately discuss w/ supervisor + HR	<p>the use of fever-reducing medications</p> <ul style="list-style-type: none"> • New cough (e.g., started in the last 14 days) • Sore throat • Shortness of breath • Unexplained muscle aches <p><i>You may work in-clinic, BUT you must adhere to the following instructions:</i></p> <ul style="list-style-type: none"> • Self-monitor for sx, including temperature, at the start + midway thru each shift • Practice meticulous hand hygiene • Immediately cease client care activities if any sx arise, notify supervisor + HR + go home 	<ul style="list-style-type: none"> • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headaches • Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	<p>Notify HR/Supervisor immediately if you have <i>new</i> sx or fever + leave work</p> <p>See “Staff Illness” section if symptomatic</p>
9. Medium** or High risk*** exposure to anyone w/COVID-like sx or any unprotected exposure to anyone w/ COVID diagnosis + active sx	<p>NO</p> <p>Immediately discuss w/ supervisor + HR</p>	<p>Do not report to work until after 14 day quarantine pd</p> <p>May work from home if well enough + work is available</p>	<p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp>= 99.5F) • New cough (new= started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headache • Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	<p>If no sx develop, you may return to work after 14 day quarantine</p> <p>See “Staff Illness” section if symptomatic</p>

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

Staff Travel	Can I work on-site?	Work restrictions + instructions	Actions to take at home	When to return to work
<p>10. Traveling to a state where the positivity rate is 10% or higher or case rate is 20 per 100,000 or higher</p> <p>Agency recommends against nonessential travel to states with rates 10% or greater or case rates of 20 per 100,000 or greater per MDH guidance 11/10/2020</p>	<p>NO</p> <p>Immediately discuss w/ supervisor + HR</p> <p>(must obtain COVID test and quarantine while awaiting result)</p>	<p>Do not report to work until after appropriate quarantine pd</p>	<p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp>= 99.5°F) • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headaches • Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	<p>May continue to work w/active self-monitoring</p> <ul style="list-style-type: none"> • Check temp twice daily • Monitor for new sx <p>Notify HR/Supervisor immediately if you have <i>new</i> sx or fever + leave work</p> <p>May return to work when COVID test result is negative</p> <p>See “Staff Illness” section if symptomatic</p>
<p>10. Traveling to a state where the positivity rate is less than 10% and case rate is less than 20 per 100,000</p> <p>Agency recommends against nonessential travel to states with rates 10% or greater or case rates of 20 per 100,000 or greater per MDH guidance 11/10/2020</p>	<p>YES</p> <p>(Must obtain COVID test but may work while awaiting result)</p>	<p>If you do <u>not</u> have:</p> <ul style="list-style-type: none"> • Fever (temp>= 99.5°F) in the past 24 hrs, w/out the use of fever-reducing medications • New cough (e.g., started in the last 14 days) • Sore throat • Shortness of breath • Unexplained muscle aches <p><i>You may work in-clinic, BUT you must adhere to the following instructions:</i></p> <ul style="list-style-type: none"> • Self-monitor for sx, including temperature, at the start + midway thru each shift 	<p>Self-monitor for sx:</p> <ul style="list-style-type: none"> • Check temperature twice daily • Fever (temp>= 99.5°F) • New cough (e.g., started in the last 14 days) • Sore throat • Chills/shaking chills • Shortness of breath • Unexplained muscle aches • Unexplained headaches • Loss of sense of taste or smell <p>Consult w/your medical provider as needed or if sx develop. Notify them that you are a health care worker/essential personnel</p>	<p>May continue to work w/active self-monitoring</p> <ul style="list-style-type: none"> • Check temp twice daily • Monitor for new sx <p>Notify HR/Supervisor immediately if you have <i>new</i> sx or fever + leave work</p> <p>See “Staff Illness” section if symptomatic</p>

Health Care for the Homeless - COVID-19 Continue to Work/Return to Work Guidelines^

		<ul style="list-style-type: none"> • Practice meticulous hand hygiene • Immediately cease client care activities if any sx arise, notify supervisor + HR + go home 		
--	--	--	--	--

*Low risk exposure—brief interactions w/anyone w/ COVID-19 (including up to 2 day before their symptoms started) or prolonged close contact w/anyone wearing a facemask for source control

**Medium risk exposure—prolonged close contact w/anyone w/COVID-19 (including up to 2 day before their symptoms started) who were wearing a facemask while staff member’s nose + mouth were exposed to material potentially infectious

***High risk exposure—prolonged close contact w/anyone w/COVID-19 (including up to 2 day before their symptoms started) who were not wearing a facemask while staff member’s nose + mouth were exposed to material potentially infectious

^ Note: Abbreviation “sx” means “symptoms”

Primary guidance for this document comes from the Centers for Disease Control and Prevention:

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/return-to-work.html>

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-risk-assesment-hcp.html>

https://phpa.health.maryland.gov/Documents/2020.11.10.03_MDH_Advisory_Large_Gatherings_Travel_Long_Term_Care_Visitation.pdf

Note: A list of state COVID-19 test positivity rates can be found here:

(<https://www.cdc.gov/covid-data-tracker/index.html#testing>)

Note: A list of state COVID-19 case rate per 100,000 over the past 7 days can be found here:

https://covid.cdc.gov/covid-data-tracker/#cases_casesper100klast7days